

# F204 A-100/0,3



## General Information

<b>Extended Product Type:</b>	F204 A-100/0,3
<b>Product ID:</b>	2CSF204123R3900
<b>EAN:</b>	8012542918905
<b>Catalog Description:</b>	F204 A-100/0,3 Residual Current Dev.
<b>Long Description:</b>	The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is suitable for installations where neutral on the left is needed.

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

## Ordering

<b>EAN:</b>	8012542918905
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85363030

## Dimensions

<b>Product Net Width:</b>	0.070 m
<b>Product Net Height:</b>	0.085 m
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Weight:</b>	0.380 kg

## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	0.082 m
<b>Package Level 1 Height:</b>	0.078 m
<b>Package Level 1 Length:</b>	0.096 m
<b>Package Level 1 Gross Weight:</b>	0.423 kg
<b>Package Level 1 EAN:</b>	8012542918905

## Technical

<b>Standards:</b>	IEC EN 61008
<b>Operating Characteristic:</b>	Instantaneous
<b>Type of Residual Current:</b>	A type
<b>Rated Residual Current:</b>	300 mA
<b>Rated Current (<math>I_n</math>):</b>	100 A
<b>Number of Poles:</b>	4
<b>Position of Neutral Terminals:</b>	Right
<b>Power Loss:</b>	Per Pole 44.4 W

## Environmental

<b>RoHS Status:</b>	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3
---------------------	---

## Certificates and Declarations (Document Number)

<b>Declaration of Conformity - CE:</b>	ITSCE116F200
--	--------------

RoHS Information:

2CSC423001K0201

Classifications

Object Classification Code:	Q
ETIM 4.0:	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5.0:	EC000003 - Residual current circuit breaker (RCCB)